

# Second-Generation Antipsychotic Long-Acting Injectables for Schizophrenia

Drug Name	Company	Indications	Maintenance Dose Range (mg)	Administration Site and Frequency
Aripiprazole monohydrate (Abilify Maintena®) <sup>10</sup>	Otsuka Pharmaceutical Co., Ltd	Treatment of schizophrenia in adults and maintenance monotherapy treatment of bipolar I disorder in adults	300-400	Administered by intramuscular injection in the deltoid or gluteal muscle  Every 4 weeks
Aripiprazole laurozil (Aristada Initio®) <sup>11</sup>	Alkermes, Inc.	Treatment of schizophrenia in adults	441-1064	Administered by intramuscular gluteal injection  Every 4 to 6 weeks 1064 mg: every 8 weeks
Olanzapine (Zyprexa® Relprevv™) <sup>12</sup>	Eli Lilly and Company	Treatment of schizophrenia in adults	150-405	Administered by intramuscular gluteal injection  Every 2 or 4 weeks
Paliperidone palmitate (Invega Sustenna®) <sup>13</sup>  or (Invega Trinza®) <sup>14</sup>	Janssen Biotech, Inc.	Treatment of schizophrenia in adults and of schizoaffective disorder in adults as monotherapy and as an adjunct to mood stabilizers or antidepressants	Sustenna®: 39-234 Trinza®: 273-819	Administered by intramuscular deltoid or gluteal injection  Sustenna®: Every 4 weeks Trinza®: Every 12 weeks
Risperidone (Risperdal Consta®) <sup>15</sup>	Janssen Biotech, Inc.	Treatment of schizophrenia in adults and for the longer-term treatment of bipolar I disorder	12.5-50	Administered by intramuscular deltoid or gluteal injection  Every 2 weeks